



# Berkeley Storage Manager (BeStMan)

Scientific Data Management Research Group Computational Research Division Lawrence Berkeley National Laboratory

https://twiki.grid.iu.edu/bin/view/Management/BestmanReview



## LBNL SDM group efforts for OSG



#### BeStMan Support

- VO sites
  - US ATLAS, US CMS, STAR, and others such as LIGO, SBGRID, CERN EOS, etc.
  - Support areas
    - Deployment and configuration
    - Scalability/performance
    - Compatibility/interoperation with dCache
    - General SE (storage and file system) needs
- User support
  - SRM client usage with BeStMan
    - e.g. lcg-utils, FNAL SRM clients (srmcp), bestman srm clients (srm-copy)
  - Data replication middleware
    - e.g. FTS, PhEDEx
- VO-requested feature addition and maintenance
  - Collaboration with bestman development team at LBNL/SDM
- Ref: OSG GOC tickets https://ticket.grid.iu.edu/goc/navigator
- Ref: BeStMan Release CHANGES file
   https://codeforge.lbl.gov/plugins/scmsvn/viewcvs.php/bestman2-server-src/CHANGE?
   root=bestman&view=markup



## OSG BeStMan deployments



- OSG deployments as of Mar. 3, 2011
  - Number of sites providing Storage Elements: ~57
    - Unofficial OSG statistics based on BDII information
- Recent version release on Sep. 6, 2011
  - BeStMan2 v.2.1.2 and BeStMan v.1.3.26
  - Ref: CHANGES file
     https://codeforge.lbl.gov/plugins/scmsvn/viewcvs.php/bestman2-server-src/CHANGE?
     root=bestman&view=markup



## **BeStMan Source availability**



- Source codes under BSD with Grant-back provision
  - Available via SVN: https://codeforge.lbl.gov/projects/bestman/
    - Official LBNL source code public repository, maintained by Berkeley Lab
  - Binary package (tar.gz file with configure) also available
  - All Java codes: Total 199,761 lines as of 9/6/2011
- Plug-in source codes
  - For load balancing on transfer server lists
  - Maintained as source and a simple package
  - Available via SVN https://codeforge.lbl.gov/projects/bestmancontrib/
- OSG VDT package with pacman for bestman release
- OSG RPM package for bestman2 release



#### **Documentation**



- BeStMan server administrative guide
  - https://sdm.lbl.gov/wiki/Software/BeStMan/BeStMan2Guide/
- BeStMan server plugin customization guide with code samples
  - https://sdm.lbl.gov/wiki/Software/BeStMan/BeStMan2Guide/Customize
  - Notes on scalability
    - https://sdm.lbl.gov/wiki/Software/BeStMan/BeStMan2Guide/ScalabilityNotes
- BeStMan server FAQ
  - https://sdm.lbl.gov/wiki/Software/BeStMan/BeStMan2Guide/BeStMan2FAQ
- BeStMan SRM Clients user guide
  - https://sdm.lbl.gov/wiki/Software/SRMClients/BeStManClientsGuide/
  - https://sdm.lbl.gov/wiki/Software/SRMTester/SRMTesterGuide/
  - https://sdm.lbl.gov/bestman/docs/srmapi/



## External Software Dependency – BeStMan server



- Oracle/SUN JDK 1.6.0\_27
- Apache ant 1.7.0
- Axis 1.4
- WSDL4j-1.6.2
- Xerces-2.9.1
- Jetty 7.1.5.v20100705
- Java CoG 1.8.0
- Java Servlet 2.5
- SIf4j-1.6.0
- Berkeley DB 4.0.103
- concurrent lib 1.3.4 from SUNY-Oswego
- which4j
- glite-security lib

- opensaml 1.0.1
- privilege 1.0.1.3
- vomsjapi 1.9.10
- commons lang 2.1
- commons collections 3.2
- joda-time 1.5.2
- opensaml 2.2.1
- privilege-xacml 2.2.4
- velocity 1.5
- Xalan 2.7.1
- XML-security 1.4.1
- Bouncy Castle crypto lib 1.3.9



## External Software Dependency – BeStMan SRM clients



- Oracle/SUN JDK 1.5.0\_12
- Apache ant 1.7.0
- Axis 1.4
- WSDL4j-1.6.2
- Xerces-2.9.1
- Java CoG 1.8.0
- BeStMan2-2.x.x



## External Software Dependency – Maintenance



- Security maintenance
  - Currently there is no known-security issues.
- Communication layers on external dependent software.
  - Mainly GSI and Jetty
- Frequently checked releases for an update
  - Especially for security vulnerability
  - Dependent software are being updated
  - BeStMan server/clients are being tested for compatibility.



### **BeStMan2 RPM release**



#### 8 RPM packages

- bestman2-common-libs
- bestman2-server
- bestman2-server-libs
- bestman2-server-dep-libs
- bestman2-client
- bestman2-client-libs
- bestman2-tester
- bestman2-tester-libs
- RPMs are all built from the source release.



### **Future support items**



- OpenJDK support, Java 1.7 support
- Transition to https layer from the current httpg
  - Collaboration with EMI
  - Implementation
  - Interoperation
  - Compatibility
  - Transition



### **Berkeley Storage Manager (BeStMan)**





- SRM v2.2 implementation OGF standard (Aug. 2009)
  - interoperable and compatible to other implementations
- Works on existing storages with posix-compatible file systems
  - NFS, GPFS, Lustre, HPFS, XroodFS, PVFS, PNFS, HFS+, ...
  - Adaptable to special file systems and storages with customized plug-in
    - Site-specific customization on the file system i/o mechanism
    - Plug-in extension for external archival storage systems
    - E.g. MSS such as HPSS, REDDnet
- Supports multiple transfer protocols
  - GridFTP, FTP, HTTP/S
- Load balancing for multiple transfer servers
  - Also, supports customized plug-in for transfer server selection with custom policy



#### **BeStMan**





- Supports multiple storage partitions
  - Supports pre-defined static space tokens
  - Supports space reservation
- Supports Gateway Mode for faster performance
  - Jetty based web server container
    - Better performance in http connection handling
    - Scalable and configurable for heavier load
  - Scales well with some file systems and storages, such as Xrootd and Hadoop
- Authentication and authorization
  - Supports grid-mapfile
  - Supports GUMS server SAML and XACML based
  - Supports limited access to the underlying file system
    - User access restriction to certain directory paths
  - Supports limited permissions on file access
    - User access control to files by owners/creators only



#### **BeStMan**





#### As data movement broker

- BeStMan manages multiple file transfers without user intervention when a request for large scale data movements of thousands of files is submitted.
  - Recovers from transient failures
  - Supports recursive directory transfer requests
  - Supports asynchronous status check
- BeStMan verifies that enough storage space exists for file transfer requests
- File movements from/to remote SRMs or GridFTP servers
- E.g. STAR use case for data movements from NERSC/PDSF to BNL



#### **BeStMan SRM Clients**




- Supports all interfaces in SRM specification
  - Interoperable and compatible to other SRM server and client implementations
  - Supports multiple transfer protocols
- Added functionality
  - User friendly command options
    - E.g. srm-copy –mkdir creates recursive directories before transferring files into the target
    - E.g. srm-copy –nooverwrite avoids duplicate transfers when target file exists.
    - E.g. srm-copy –gatewayfriendly skips some redundant SRM calls for BeStMan Gateway.
       Works only for BeStMan Gateway mode.
  - Supports 3<sup>rd</sup> party gridftp file transfers
  - Supports a bulk request
    - To reduce the load on the server, many single calls to SRM PUT requests are bundled together as one single request with many files in the request using –f option.
  - Available SRM Java API
  - Available SRM-Tester



## **BeStMan Design**



- Java implementation of SRM specification v2.2
- Designed to work with unixbased disk systems
- Adaptable to other file systems and storages via plugin mechanism
- MSS support to stage/ archive from/to its own disk
- Uses in-memory database (BerkeleyDB) for full mode



- Multiple transfer protocols
- Space reservation
- Directory management (no ACLs)

- Local Policy
  - Fair request processing
  - File replacement in disk
  - Garbage collection
- Can copy files from/to remote SRMs or GridFTP Servers
- Can copy entire directory recursively
  - Large scale data movement of thousands of files
  - Recovers from transient failures (e.g. MSS maintenance, network down)
- Reference: https://sdm.lbl.gov/bestman/docs/SRM-LBNL-BeStMan-design-031201.pdf

## Use case: BeStMan Gateway + Disk storage Grid




Image courtesy: Tanya Levshina



## **Use case: BeStMan Gateway + HDFS**






Image courtesy: Tanya Levshina



## **Use case: BeStMan Gateway + XrootD**







Image courtesy: Tanya Levshina



### **△ Use case: Job-driven data movement in STAR**





- 1. Client submits analysis job
- 2. Client jobs get created on the worker nodes, and create files
- 3. Jobs contact local bestman to move the result files to the remote storage repository
- 4. Client jobs (using bestman client) stage files into bestman managed locak disk cache via TURL

- 5. Client jobs (using bestman client) notify bestman for file staging completion
- 6. Local bestman contacts remote storage sites
- 7. Bestman transfers files to the remote sites via GridFTP
- 8. Client jobs check the status of the file transfers results
- 9. Client jobs finish upon successful status status



## **Summary**



#### BeStMan server and client tools

- are integral part of OSG
- all BeStMan related funding (and therefore support) ends by the end of 2011.
- need funding in order to continue support and maintenance of all BeStMan related products.

#### Questions

srm@lbl.gov